## THALES

## Thales Gemalto Document Reader QS1000

**Identity & Biometric Solutions** 



#### Key standard features and functionality

- Multiple document reading and imaging capability
- Anywhere placement of ID cards
- 400 DPI high resolution imaging, imaging in 30-bitcolor
- Scanning window 88mm x 125mm
- Multiple wavelength illumination visible and IF
- MRZ data capture as standard and optional software to decode VIZ data
- Complete access to OCR HRZ data and images captured via Software Development Kit (SDK)
- Enables images to be accessed as BMP, PNG or JPEG format
- Auto-triggering of document capture presence of document is automatically detected
- USB 2.0 high speed compatible
- Rugged design, no moving parts and internally sealed optical chamber to prevent dust ingress
- Windows<sup>®</sup> 7, Windows<sup>®</sup> 8.1, Windows<sup>®</sup> 10, macOS and Linux<sup>®</sup> compatible

#### Product Use

The Gemalto Document Reader QS1000 captures data from travel and identity documents quickly and reliably in a wide variety of commercial applications, for instance in hotels, casinos, liquor stores, bars, and rental car companies.

#### Comprehensive Software Features

- Flexible software interface allows host application to select which illumination sources to use, image type, image compression, photo extraction etc.
- Simple high level API for quick program development for detailed low level API for fine control of all reader functions
- SDK provides full configuration API

#### VIZ Data Capture Option

Additional software can decode the OCR text in the visible zone (HRZ) from identity documents as well as many driving licenses:

- Automate data entry, no more manual typing or photocopying
- Form filling, including into web pages
- Can auto fill forms
- Increased accuracy for data entry
- Global coverage for documents

#### Reading Capability

The Gemalto Document Reader QS 1000 reads the following:

- ICAO compliant documents in near infrared (IR) per ICAO 9303 specification
- One line Driving Licenses in near infrared (IR) per ISO 18013 part 2 specification
- 1D barcodes (2 of 5 interleaved, 2 of 5 industrial, Code 128, Code 39, UPC-A, EAN-8 and EAN-13)
- 2D barcodes used on BCBP and other documents (PDF 417, QR Code<sup>®</sup>, DataMatrix<sup>™</sup> and Aztec formats) from paper documents and many mobile devices

# Gemalto Document Reader QS1000

#### **Identity & Biometric Solutions**

#### Firmware Upgrade

- Upgradeable firmware via USB 2.0 interface
- Non-volatile memory for configuration and calibration accessed via USB 2.0 interface

#### Regulatory

- FCC Part 15 Class A
- UL, UL-C
- CB report
- CE RED, LVD & EMC
- EU WEEE, REACH & RoHS Directive

#### Operating Environment

- Humidity: 20 to 95% (R.H. non-condensing)
- Temperature: 0° to 50° C operating; -20° to 50° C storage

#### Security

• Kensington® Security Lock

### Minimum PC Specification

Software must be installed on a customer-supplied PC, some aspects of read speed may be affected by PC specification. The following minimum configuration is recommended:

- 2 GHz Pentium® 4 CPU (Intel Core 2 Duo recommended)
- 1 GB DRAM
- USB 2.0
- 60 MB of Hard Drive space for software
- Windows® 7, Windows® 8.1 or Windows® 10 operating systems, 32 or 64 bit
- Builds for Ubuntu and CentOS LTS, 32 & 64 bit
- macOS (limited SDK functionality)

#### Standard Dimensions

- Length: 19.0 cm (7.5")
- Width: 16.2 cm (6.4")
- Height: 15.7 cm (6.2") (with light shield)
- Weight: < 1 kg or 2.2 lbs

#### Illumination

The reader illuminates documents in multiple wavelengths

- Near IR B900, 880nm, +/-5%
- White visible, 430-700nm

#### Resolution

- Standard 400 DPI image resolution, 3.1 Megapixel sensor
- Internal image processing RGB 30 bit bit color system

#### Status Indicators

The reader provides user feedback via the following status indicators:

- Red Read Error LED
- Blue Ready LED
- Yellow Busy LED
- Green Valid Read LED

The reader performs a power-up self-test and indicates failure using status LEDs.

#### Power

USB Powered, 5V maximum current 500mA

### Service & Maintenance

- One-year warranty
- Annual maintenance agreement available

Microsoft, Windows, Visual C++, Visual C# and Visual Basic are registered trademarks of Microsoft Corporation in the United States and other countries. Java is a registered trademark of Oracle and/or its affiliates. Celeron and Intel are trademarks of Intel Corporation in the U.S. and/or other countries. Data Matrix is a trademark of Robotic Vision Systems, Inc. (RVSI). Ubuntu is a registered trademark of Canonical Ltd. Linux is a registered trademark of Linus Torvalds. Kensington is a registered trademark of ACCO Brands. QR Code is a registered trademark of DENSO WAVE INCORPORATED. MIFARE is a trademark of NXP Semiconductors. macOS is a trademark of Apple Inc., registered in the U.S. and other countries.

This document is subject to change without notice.



© Thales 2020. Photos credit: Gettyimages - January 2020 - Design: Jubemo - DT-01884 Rev D